
**Set Partition Coding:
Part I of Set Partition
Coding and Image Wavelet
Coding Systems**

Set Partition Coding: Part I of Set Partition Coding and Image Wavelet Coding Systems

William A. Pearlman

*Rensselaer Polytechnic Institute
Troy, NY 12180-3590
USA*

pearlw@ecse.rpi.edu

Amir Said

*Hewlett-Packard Laboratories
Palo Alto, CA 94304
USA*

Said@hpl.hp.com

now

the essence of **knowledge**

Boston – Delft

Foundations and Trends[®] in Signal Processing

Published, sold and distributed by:

now Publishers Inc.
PO Box 1024
Hanover, MA 02339
USA
Tel. +1-781-985-4510
www.nowpublishers.com
sales@nowpublishers.com

Outside North America:

now Publishers Inc.
PO Box 179
2600 AD Delft
The Netherlands
Tel. +31-6-51115274

The preferred citation for this publication is W. A. Pearlman and A. Said, Set Partition Coding: Part I of Set Partition Coding and Image Wavelet Coding Systems, Foundations and Trends[®] in Signal Processing, vol 2, no 2, pp 95–180, 2008

ISBN: 978-1-60198-178-3

© 2008 W. A. Pearlman and A. Said

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, mechanical, photocopying, recording or otherwise, without prior written permission of the publishers.

Photocopying. In the USA: This journal is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by now Publishers Inc for users registered with the Copyright Clearance Center (CCC). The 'services' for users can be found on the internet at: www.copyright.com

For those organizations that have been granted a photocopy license, a separate system of payment has been arranged. Authorization does not extend to other kinds of copying, such as that for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to now Publishers Inc., PO Box 1024, Hanover, MA 02339, USA; Tel. +1-781-871-0245; www.nowpublishers.com; sales@nowpublishers.com

now Publishers Inc. has an exclusive license to publish this material worldwide. Permission to use this content must be obtained from the copyright license holder. Please apply to now Publishers, PO Box 179, 2600 AD Delft, The Netherlands, www.nowpublishers.com; e-mail: sales@nowpublishers.com

**Foundations and Trends[®] in
Signal Processing**
Volume 2 Issue 2, 2008
Editorial Board

Editor-in-Chief:

Robert M. Gray

Dept of Electrical Engineering

Stanford University

350 Serra Mall

Stanford, CA 94305

USA

rmgray@stanford.edu

Editors

Abeer Alwan (UCLA)

John Apostolopoulos (HP Labs)

Pamela Cosman (UCSD)

Michelle Effros (California Institute
of Technology)

Yonina Eldar (Technion)

Yariv Ephraim (George Mason
University)

Sadaoki Furui (Tokyo Institute
of Technology)

Vivek Goyal (MIT)

Sinan Gunturk (Courant Institute)

Christine Guillemot (IRISA)

Sheila Hemami (Cornell)

Lina Karam (Arizona State
University)

Nick Kingsbury (Cambridge
University)

Alex Kot (Nanyang Technical
University)

Jelena Kovacevic (CMU)

B.S. Manjunath (UCSB)

Urbashi Mitra (USC)

Thrasos Pappas (Northwestern
University)

Mihaela van der Shaar (UCLA)

Luis Torres (Technical University
of Catalonia)

Michael Unser (EPFL)

P.P. Vaidyanathan (California
Institute of Technology)

Rabab Ward (University
of British Columbia)

Susie Wee (HP Labs)

Clifford J. Weinstein (MIT Lincoln
Laboratories)

Min Wu (University of Maryland)

Josiane Zerubia (INRIA)

Editorial Scope

Foundations and Trends[®] in Signal Processing will publish survey and tutorial articles on the foundations, algorithms, methods, and applications of signal processing including the following topics:

- Adaptive signal processing
- Audio signal processing
- Biological and biomedical signal processing
- Complexity in signal processing
- Digital and multirate signal processing
- Distributed and network signal processing
- Image and video processing
- Linear and nonlinear filtering
- Multidimensional signal processing
- Multimodal signal processing
- Multiresolution signal processing
- Nonlinear signal processing
- Randomized algorithms in signal processing
- Sensor and multiple source signal processing, source separation
- Signal decompositions, subband and transform methods, sparse representations
- Signal processing for communications
- Signal processing for security and forensic analysis, biometric signal processing
- Signal quantization, sampling, analog-to-digital conversion, coding and compression
- Signal reconstruction, digital-to-analog conversion, enhancement, decoding and inverse problems
- Speech/audio/image/video compression
- Speech and spoken language processing
- Statistical/machine learning
- Statistical signal processing
- Classification and detection
- Estimation and regression
- Tree-structured methods

Information for Librarians

Foundations and Trends[®] in Signal Processing, 2008, Volume 2, 4 issues. ISSN paper version 1932-8346. ISSN online version 1932-8354. Also available as a combined paper and online subscription.

Foundations and Trends[®] in
Signal Processing
Vol. 2, No. 2 (2008) 95–180
© 2008 W. A. Pearlman and A. Said
DOI: 10.1561/20000000013



Set Partition Coding: Part I of Set Partition Coding and Image Wavelet Coding Systems

William A. Pearlman¹ and Amir Said²

¹ *Department of Electrical, Computer and System Engineering, Rensselaer Polytechnic Institute, Troy, NY 12180-3590, USA, pearlw@ecse.rpi.edu*

² *Hewlett-Packard Laboratories, 1501 Page Mill Road, MS 1203, Palo Alto, CA 94304, USA, Said@hpl.hp.com*

Abstract

The purpose of this two-part monograph is to present a tutorial on set partition coding, with emphasis and examples on image wavelet transform coding systems, and describe their use in modern image coding systems. Set partition coding is a procedure that recursively splits groups of integer data or transform elements guided by a sequence of threshold tests, producing groups of elements whose magnitudes are between two known thresholds, therefore, setting the maximum number of bits required for their binary representation. It produces groups of elements whose magnitudes are less than a certain known threshold. Therefore, the number of bits for representing an element in a particular group is no more than the base-2 logarithm of its threshold

rounded up to the nearest integer. SPIHT (Set Partitioning in Hierarchical Trees) and SPECK (Set Partitioning Embedded block) are popular state-of-the-art image coders that use set partition coding as the primary entropy coding method. JPEG2000 and EZW (Embedded Zerotree Wavelet) use it in an auxiliary manner. Part I elucidates the fundamentals of set partition coding and explains the setting of thresholds and the block and tree modes of partitioning. Algorithms are presented for the techniques of AGP (Amplitude and Group Partitioning), SPIHT, SPECK, and EZW. Numerical examples are worked out in detail for the latter three techniques. Part II describes various wavelet image coding systems that use set partitioning primarily, such as SBHP (Subband Block Hierarchical Partitioning), SPIHT, and EZBC (Embedded Zero-Block Coder). The basic JPEG2000 coder is also described. The coding procedures and the specific methods are presented both logically and in algorithmic form, where possible. Besides the obvious objective of obtaining small file sizes, much emphasis is placed on achieving low computational complexity and desirable output bitstream attributes, such as embeddedness, scalability in resolution, and random access decodability.

This monograph is extracted and adapted from the forthcoming textbook entitled *Digital Signal Compression: Principles and Practice* by William A. Pearlman and Amir Said, Cambridge University Press, 2009.

Contents

1	Introduction	1
2	Set Partition Coding	5
2.1	Principles	5
2.2	Tree-Structured Sets	20
2.3	Progressive Transmission and Bit-Plane Coding	33
2.4	Applications to Image Transform Coding	35
2.5	Conclusion	59
A	Mathematical Transformations	61
A.1	Karhunen–Loeve Transform	63
A.2	The Discrete Cosine Transform	64
A.3	Subband Transforms	66
	References	83

1

Introduction

The goal of this monograph is to elucidate the principles of a data compression method called *set partition coding*, mainly by showing its use in image compression. One of the most interesting aspects of this coding technique is that it is based on some very simple principles, but is also very effective, surpassing other coding methods that may seem theoretically much more sophisticated (and probably with a fraction of the computational complexity).

This technique is the primary entropy coding method in the well-known SPIHT (Set Partitioning In Hierarchical Trees) [18] and SPECK (Set Partitioning Embedded bloCK) [15] algorithms and is an auxiliary coding method in the JPEG2000 standard [11, 12]. It also has been successfully applied in the method of EZBC (Embedded Zero Block Coder) for video coding [9]. There are many books and articles explaining SPIHT and SPECK, and its many variations and modifications. These works state the algorithms and present worked-out examples, but none touches on the logic underlying these methods.

What had been missing is a proper explanation of why a method as simple as set partition coding can be so effective. A possible reason for this omission is that the usual approach for teaching data compression

2 Introduction

is to start from information theory principles, and some simple statistical models, like i.i.d. sources, and then possibly move to somewhat more complicated cases. However, rarely there is any real intention of realism, since the data sources defined by the main multimedia compression applications (audio, images, and video) are quite complex. They can be extremely difficult to model accurately, and we may not even know what are all the aspects involved (e.g., if a Stradivarius violin sounds like no other, how to preserve that information?).

A superficial interpretation of information theory can also give the impression that increasingly more complex statistical models are the only thing needed to improve compression. Actually what is needed is the development of *workable* models (explicit or implicit) that are flexible enough to allow more *accurate* modeling for *coding*, without necessarily providing descriptive information. An *ad hoc* scheme based on empirical knowledge of the source's statistical properties can be much better than methods that in theory could be used for data sources of any complexity, but in practice need to be very strongly constrained to be manageable.

This monograph is an attempt to remedy this situation and help the reader understand and separate the various principles that are at play in effective coding systems. We chose an approach that keeps the presentation intuitive and simple, without formal statistical models, but always related to real data sources. The risk, in this case, is that the methods we present may seem at first too simplistic and limited, even naïve. The reader should keep in mind that even the simplest versions are quite effective, and could not be so if they were not able to exploit fundamental statistic properties of the data sources.

Set partition coding uses recursions of partitioning or splitting of sets of samples guided by a threshold test. The details will be explained at length in Part I of this monograph. There are different tests and different ways that these sets can be split. One unique feature is the presentation of the steps of the algorithms in separate boxes, in addition to the explanations. Contrary to what is written in many places, these methods are not married to bit-plane coding and do not by themselves produce embedded bitstreams. Bit-plane coding is an option and often an unnecessary one. Similarly, some authors assume that

these methods are meant to work only on wavelet transforms, without knowing that they had been successfully applied to other types of data.

Embedded coding within the framework of set partition coding will be carefully described. Integer data that tend to contain clusters of close value, such as those produced by certain mathematical transformations, are especially amenable to compression by most methods, including this method. Numerous examples of set partition coding of transformed data are presented. In particular, the SPIHT, SPECK and EZW (Embedded Zerotree Wavelet) [20] algorithms are explained thoroughly and compared in an actual example of coding a wavelet transform.

Part II describes current-day wavelet transform image coding systems. As before, steps of the algorithms are explained thoroughly and set apart. An image coding system consists of several stages of procedure: transformation, quantization, set partition or adaptive entropy coding or both, decoding including rate control, inverse transformation, de-quantization, and optional processing in certain stages. Wavelet transform systems can provide many desirable properties besides high efficiency, such as scalability in quality, scalability in resolution, and region-of-interest access to the coded bitstream. These properties are built into the JPEG2000 standard, so its coding will be fully described. Since JPEG2000 codes sub-blocks of subbands, other methods, such as SBHP (Subband Block Hierarchical Partitioning) [4] and EZBC [9], that code subbands or its subblocks independently are also described. The emphasis in this part is the use of the basic algorithms presented in the previous part in ways that achieve these desirable bitstream properties. In this vein, we describe a modification of the tree-based coding in SPIHT whose output bitstream can be decoded partially, corresponding to a designated region of interest and is simultaneously quality and resolution scalable.

Although not really necessary for understanding the coding methods presented here, we have included an appendix describing some mathematical transforms, including subband/wavelet transforms, used in coding systems. Some readers may feel more comfortable in reading this monograph with some introduction to this material.

4 *Introduction*

This monograph is intended to be a tutorial and not a survey. Although many coding methods are described, some others that fit into the framework of this monograph are not, and the bibliography is certainly not comprehensive. We hope that any omissions will be forgiven. Nonetheless, we believe this tutorial is unprecedented in its manner of presentation and serves its stated purpose. We hope the readers agree.

References

- [1] N. Ahmed, T. R. Natarajan, and K. R. Rao, "On image processing and a discrete cosine transform," *IEEE Transactions on Computers*, vol. 23, pp. 90–93, January 1974.
- [2] J. Andrew, "A simple and efficient hierarchical coder," *Proceedings of IEEE International Conference on Image Processing '97*, vol. 3, pp. 658–661, 1997.
- [3] Y. Cho and W. A. Pearlman, "Quantifying the performance of zerotrees of wavelet coefficients: Degree-k zerotree model," *IEEE Transactions on Signal Processing*, vol. 55, no. 6.1, pp. 2425–2431, 2007.
- [4] C. Chrysafis, A. Said, A. Drukarev, A. Islam, and W. A. Pearlman, "SBHP — A low complexity wavelet coder," *IEEE International Conference Acoustics, Speech and Signal Processing (ICASSP2000)*, vol. 4, pp. 2035–2038, 2000.
- [5] A. Cohen, I. Daubechies, and J.-C. Feauveau, "Biorthogonal bases of compactly supported wavelets," *Communications of Pure and Applied Mathematics*, vol. 45, no. 5, pp. 485–560, June 1992.
- [6] R. G. Gallager and D. V. Vorrhis, "Optimal source codes for geometrically distributed integer alphabets," *IEEE Transactions on Information Theory*, vol. 21, pp. 228–230, March 1975.
- [7] S. W. Golomb, "Run-length encodings," *IEEE Transactions on Information Theory*, vol. 12, pp. 399–401, July 1966.
- [8] E. H. Hong and R. E. Ladner, "Group testing for image compression," *IEEE Transactions on Image Processing*, vol. 11, no. 8, pp. 901–911, 2002.
- [9] S.-T. Hsiang and J. W. Woods, "Embedded image coding using zeroblocks of subband/wavelet coefficients and context modeling," *IEEE International Conference on Circuits and Systems (ISCAS2000)*, vol. 3, pp. 662–665, 2000.

84 References

- [10] A. Islam and W. A. Pearlman, "An embedded and efficient low-complexity hierarchical image coder," *Visual Communications and Image Processing '99, Proceedings of SPIE*, vol. 3653, pp. 294–305, January 1999.
- [11] ISO/IEC 15444-1, *Information Technology-JPEG2000 Image Coding System, Part 1: Core Coding System*, (2000).
- [12] ISO/IEC 15444-2, *Information Technology-JPEG2000 Extensions, Part 2: Core Coding System*, (2001).
- [13] N. S. Jayant and P. Noll, *Digital Coding of Waveforms*. Englewood Cliffs, NJ: Prentice-Hall, 1984.
- [14] M. J. Narasimha and A. M. Peterson, "On the computation of the discrete cosine transform," *IEEE Transactions on Communications*, vol. 26, pp. 934–936, June 1978.
- [15] W. A. Pearlman, A. Islam, N. Nagaraj, and A. Said, "Efficient, low-complexity image coding with a set-partitioning embedded block coder," *IEEE Transactions as Circuits and Systems for Video Technology*, vol. 14, pp. 1219–1235, November 2004.
- [16] R. M. Rao and A. S. Bopartikar, *Wavelet Transforms: Introduction to Theory and Applications*. Massachusetts, Reading, NJ: Addison Wesley Longman, Inc, 1998.
- [17] A. Said and W. A. Pearlman, "An image multiresolution representation for lossless and lossy compression," *IEEE Transactions on Image Processing*, vol. 5, pp. 1303–1310, September 1996.
- [18] A. Said and W. A. Pearlman, "A new, fast and efficient image codec based on set partitioning in hierarchical trees," *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 6, no. 3, pp. 243–250, June 1996.
- [19] A. Said and W. A. Pearlman, "Low-complexity waveform coding via alphabet and sample-set partitioning," *Visual Communications and Image Processing '97, Proceedings SPIE*, vol. 3024, pp. 25–37, 1997.
- [20] J. M. Shapiro, "Embedded image coding using zerotress of wavelet coefficients," *IEEE Transactions on Signal Processing*, vol. 41, no. 12, pp. 3445–3462, 1993.
- [21] G. Strang and T. Nguyen, *Wavelets and Filter Banks*. Wellesley, MA: Wellesley-Cambridge Press, 1997.
- [22] D. S. Taubman and M. W. Marcellin, *JPEG2000: Image Compression Fundamentals, Standards, and Practice*. Boston/Dordrecht/London: Kluwer Academic Publishers, 2002.
- [23] M. Vetterli and J. Kovačević, *Wavelets and Subband Coding*. Prentice Hall PTR, NJ: Upper Saddle River, 1995.
- [24] Z. Xiong, O. Gulyeruz, and M. T. Orchard, "A DCT-based embedded image coder," *IEEE Signal Processing Letters*, vol. 3, pp. 289–290, November 1996.
- [25] Y. Yemini and J. Pearl, "Asymptotic properties of discrete unitary transforms," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 1, pp. 366–371, October 1979.